

UV-B Narrowband PL-L/PL-S

PL-L 36W/01/4P 1CT

More than 400 independent clinical studies have proven that the UVB Narrowband PL-L/PL-S lamps are safer and more effective than any other lamps in their class. The PL-L/PL-S versions provide additional design freedom for system manufacturers since these are space-saving compact, single-ended lamps. Further flexibility is assured since they use the same lamp caps as general lighting lamps, they also use the same universal ballasts. Their best-in-class treatment effectiveness is a result of their very narrow waveband emission: between 305 and 315 nm with a peak at 311 nm. This is the most efficacious waveband for the treatment of psoriasis, and is therefore much more focused. As a result, exposure times are much shorter and this in turn leads to a reduction of side effects such as reddening of the skin and itching. All of this makes them ideal for phototherapy treatment of diseases such as psoriasis, parapsoriasis, vitiligo, atopic dermatitis, and mycosis fungoides. What's more, because the overall dosage of this narrowband radiation can be closely controlled, these lamps are suitable for home therapy.



UV-B Narrowband PL-L/PL-S

Product data

General Characteristics

Cap-Base 2G11
Cap-Base Information 4 Pins
Bulb 2xT16
Main Application Medical T

Main Application Medical Therapy

Life to 50% failures 2000 hr

EL

• Light Technical Characteristics

Color Code 01
Chromaticity Coordinate X
Chromaticity Coordinate Y
Depreciation 500 40 %
hours
Depreciation 1000 20 %
hours


• Electrical Characteristics

Lamp Wattage 36 W
Lamp Wattage Technical
Lamp Voltage 105 V
Lamp Current 0.435 A

• UV-related Characteristics

UV-B Radiation 4.8 W 100hr (IEC)

Dimensional drawing



UV-B Radiation 5hr 6.2 W (IEC)

• Product Dimensions

Base Face to Base 384.2 (max) mm
Face A
Insertion Length B 410 (max) mm
Overall Length C 416.6 (max) mm
Diameter D 39 (max) mm
Diameter D1 18 (max) mm

• Product Data

Order code 927903400121
Full product code 927903400121
Full product name PL-L 36W/01/4P 1CT
Order product name Pieces per pack 1
Packing configuration Packs per outerbox 25
Bar code on pack - 8711500868893

Bar code on pack - 8711500868893 EAN1 Bar code on 8711500868909

outerbox - EAN3

Logistic code(s) - 927903400121


12NC

Net weight per piece 104.000 gr


PL-L 36W/01/4P 1CT


Product	A (Max)	B (Max)	C (Max)	D (Max)	D1 (Max)
PL-L 36W/01/4P	384.2	410	416.6	39	18

Dimensional drawing



Photometric data







 $\ensuremath{\textcircled{@}}$ 2013 Koninklijke Philips Electronics N.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.